

The 462nd Geodynamics Seminar

Recent progress for our “hydrous bridgmanite” project

Dr. Toru Inoue (Professor, GRC)

Date: 20 Jan. (Fri.) 2017, 16:30 ~

Venue: Meeting Room #486, Science
Research Bldg. 1, Ehime Univ.

日時：2017年1月20日(金)16:30~

場所：愛媛大学 総合研究棟 I
4階共通会議室



Abstract

Recently hydrous ringwoodite was found in a natural diamond inclusion which includes ~1.5 wt% H₂O (Pearson et al., 2014). In addition, the experimental studies show that wadsleyite and ringwoodite, which are the most abundant minerals in the mantle transition zone, can contain water up to ~3 wt% [e.g. Inoue et al., 1995, 1998; Kohlstedt et al., 1996]. These results show that the mantle transition zone is a strong water reservoir in the Earth's interior, and at least locally, hydrous. On the other hand, the water storage capacity in the lower mantle is a matter of debate.

We have been conducting the study for the stability and water solubility of hydrous and nominally anhydrous minerals, and the recent target is the effect of Al. In this process, we found that Al-bearing bridgmanite (Mg-silicate perovskite) can contain significant amount of water up to ~0.8 wt%, which can be compared to some previous works (Meade et al., 1994; Murakami et al., 2002; Bolfan-Casanova et al., 2003; Litasov et al., 2003). The possible H substitution mechanism can be proposed by means of chemical compositional relationship between Mg, Si, Al and H. In addition, we clarified the possible H position in the bridgmanite by means of the powder neutron diffraction analysis in J-PARC, together with the single crystal X-ray structural analysis in PF. This shows that the significant amount of H (water) can be stored in the Earth's lower mantle.

Because of the H in the bridgmanite, the physical properties of the bridgmanite can be changed. The information is very important to discuss the water content and the composition in the lower mantle. We have also conducted the equation of state and the ultrasonic wave velocity measurements of hydrous bridgmanite in BL04B1, SPring-8 to determine the elastic wave velocities and the elastic properties under high pressure and temperature condition. In this talk, I will talk about the recent progress for our “hydrous bridgmanite” project.

詳細は当センターホームページ: <http://www.grc.ehime-u.ac.jp/> をご覧ください
問い合わせ先: 西 真之 (TEL: 089 927 8153, e-mail: nishi@sci.ehime-u.ac.jp)